

Model	Voice coil	Application	Description	VPC/KN	MPC/KN
<b>LF21N451</b>	4,5"	Sub	21" Power: 1500W rms, 3000W program. Sensitivity: 98,5 Freq. Range 30-	<b>2.597,34</b>	<b>3.194,72</b>
<b>LF18N451</b>	4,5"	Sub	18" Power: 1500W rms, 3000W program. Sensitivity: 97,5 Freq. Range 30-	<b>2.228,48</b>	<b>2.741,03</b>
<b>LF18N401</b>	4"	Sub	18" Power: 1200W rms, 2400W program. Sensitivity: 98 dB Freq. Range 30-	<b>2.013,32</b>	<b>2.476,38</b>
<b>LF18X400</b>	4"	Sub	18" Power: 1000W rms, 2000W program. Sensitivity: 97,5 dB Freq. Range 30-	<b>2.459,02</b>	<b>3.024,59</b>
<b>L18P400</b>	4"	Sub	18" Power: 1000W rms, 2000W program. Sensitivity: 97,5 dB Freq. Range 30-	<b>1.890,37</b>	<b>2.325,15</b>
<b>LF18G400</b>	4"	Sub	18" Power: 1000W rms, 2000W program. Sensitivity: 97,5 dB Freq. Range 30-	<b>2.136,27</b>	<b>2.627,61</b>
<b>LF18G401</b>	4"	Sub	18" Power: 900W rms, 1800W program. Sensitivity: 98 dB Freq. Range 30-	<b>1.675,20</b>	<b>2.060,50</b>
<b>L18P300</b>	4"	Sub	18" Power: 1000W rms, 2000W program. Sensitivity: 97 dB Freq. Range 30-	<b>1.844,26</b>	<b>2.268,44</b>
<b>L18P300-ND</b>	4"	Sub	18" Power: 1000W rms, 2000W program. Sensitivity: 97 dB Freq. Range 30-	<b>1.890,37</b>	<b>2.325,15</b>
<b>L18S801</b>	4"	Sub	18" Power: 700W rms, 1400W program. Sensitivity: 99 dB Freq. Range 38-	<b>1.460,04</b>	<b>1.795,85</b>
<b>L18P200-N</b>	4"	Woof	18" Power: 800W rms, 1600W program. Sensitivity: 95 dB Freq. Range 27-	<b>1.798,16</b>	<b>2.211,73</b>
<b>LF15N401</b>	4"	Woof	15" Power: 900W rms, 1800W program. Sensitivity: 97 dB Freq. Range 35-	<b>1.782,79</b>	<b>2.192,83</b>
<b>LF15X400</b>	4"	Sub	15" Power: 800W rms, 1600W program. Sensitivity: 97 dB Freq. Range 30-	<b>2.274,59</b>	<b>2.797,75</b>
<b>L15P400</b>	4"	Sub	15" Power: 800W rms, 1600W program. Sensitivity: 97 dB Freq. Range 30-	<b>1.567,62</b>	<b>1.928,18</b>
<b>LF15G401</b>	4"	Sub	15" Power: 800W rms, 1600W program. Sensitivity: 97 dB Freq. Range 35-	<b>1.367,83</b>	<b>1.682,43</b>
<b>MB15H401</b>	4"	Mid-base	15" Power: 650W rms, 1300W program. Sensitivity: 99 dB Freq. Range 40-	<b>1.413,93</b>	<b>1.739,14</b>
<b>MB15N401</b>	4"	Mid-base	15" Power: 850W rms, 1700W program. Sensitivity: 100 dB Freq. Range 40-	<b>1.813,52</b>	<b>2.230,64</b>
<b>L15P200AK</b>	4"	Woof	15" Power: 800W rms, 1600W program. Sensitivity: 95 dB Freq. Range 35-	<b>1.460,04</b>	<b>1.795,85</b>
<b>L15/554K</b>	4"	Woof	15" Power: 600W rms, 1200W program. Sensitivity: 99 dB Freq. Range 40-	<b>1.490,78</b>	<b>1.833,66</b>
<b>L15S801</b>	4"	Woof	15" Power: 600W rms, 1200W program. Sensitivity: 99,5 dB Freq. Range 40-	<b>1.306,35</b>	<b>1.606,81</b>
<b>MB15N351</b>	3,5"	Mid-base	15" Power: 650W rms, 1300W program. Sensitivity: 99 dB Freq. Range 40-	<b>1.383,20</b>	<b>1.701,33</b>
<b>L15P540</b>	3"	Sub	15" Power: 500W rms, 1000W program. Sensitivity: 98 dB Freq. Range 40-	<b>1.183,40</b>	<b>1.455,58</b>
<b>L15P530</b>	3"	Woof	15" Power: 350W rms, 700W program. Sensitivity: 100 dB Freq. Range 40-	<b>1.137,30</b>	<b>1.398,87</b>
<b>CX15N351</b>	W: 15" D: 2.5"	Coax	Woofer: 15" Power 650 Watt rms, 1300W program. Sensitivity 101 dB. Compression Driver: Exit 1.5" Power 90 Watt rms, 180W program. Sensitivity 110 dB	<b>3.043,03</b>	<b>3.742,93</b>
<b>LF12N401</b>	4"	Woof	12" Power: 800W rms, 1600W program. Sensitivity: 101 dB Freq. Range 60-	<b>1.582,99</b>	<b>1.947,08</b>
<b>L12L750</b>	4"	Mid-base	12" Power: 350W rms, 700W program. Sensitivity: 101 dB Freq. Range 60-	<b>1.521,52</b>	<b>1.871,47</b>
<b>L12P110K</b>	4"	Mid-base	12" Power: 500W rms, 1000W program. Sensitivity: 101 dB Freq. Range 60-	<b>1.275,61</b>	<b>1.569,01</b>
<b>MB12N351</b>	3,5"	Mid-base	12" Power: 650W rms, 1300W program. Sensitivity: 98 dB Freq. Range 40-	<b>1.214,14</b>	<b>1.493,39</b>
<b>L12P540</b>	3"	Woof	12" Power: 400W rms, 800W program. Sensitivity: 97 dB Freq. Range 50-2	<b>1.091,19</b>	<b>1.342,16</b>
<b>LF12G301</b>	3"	Woof	12" Power: 450W rms, 900W program. Sensitivity: 97 dB Freq. Range 40-2	<b>937,50</b>	<b>1.153,13</b>
<b>MB12G301</b>	3"	Mid-base	12" Power: 400W rms, 800W program. Sensitivity: 98 dB Freq. Range 50-3	<b>937,50</b>	<b>1.153,13</b>
<b>L12/854K</b>	3"	Mid-base	12" Power: 350W rms, 700W program. Sensitivity: 100 dB Freq. Range 50-	<b>876,02</b>	<b>1.077,51</b>
<b>MR10N301</b>	3"	Mid-base	10" Power: 350W rms, 700W program. Sensitivity: 102 dB Freq. Range 15-	<b>1.629,10</b>	<b>2.003,79</b>
<b>L10/750YK</b>	3"	Mid-base	10" Power: 350W rms, 700W program. Sensitivity: 100 dB Freq. Range 70-	<b>937,50</b>	<b>1.153,13</b>
<b>L10/568H</b>	2"	Woof	10" Power: 200W rms, 400W program. Sensitivity: 97,5 dB Freq. Range 50-	<b>876,02</b>	<b>1.077,51</b>
<b>MR8N301</b>	3"	Mid	8" Power: 250W rms, 500W program. Sensitivity: 102 dB Freq. Range 300-	<b>1.475,41</b>	<b>1.814,75</b>
<b>MB8G200</b>	2"	Mid-base	8" Power: 200W rms, 400W program. Sensitivity: 95 dB Freq. Range 60-40-	<b>691,60</b>	<b>850,67</b>
<b>L8S800</b>	1,5"	Woof	8" Power: 170W rms, 340W program. Sensitivity: 93 dB Freq. Range 50-40-	<b>691,60</b>	<b>850,67</b>
<b>ND 3020-T3</b>	3"	Mid-high	Exit:2" Power: 80W rms, 160W program. Sensitivity: 109 dB Freq. range 50-	<b>1.951,84</b>	<b>2.400,77</b>
<b>ND 3030-T3</b>	3"	Mid-high	Exit:1.4" Power: 80W rms, 160W program. Sensitivity: 109 dB Freq. range 50-	<b>1.875,00</b>	<b>2.306,25</b>

<b>ND 2530-T3</b>	2.5"	Mid-high	Exit:1.4" Power: 60W rms, 120W program. Sensitivity: 110 dB Freq. range	<b>1.460,04</b>	<b>1.795,85</b>
<b>ND 1710-MT3</b>	1.75"	High	Exit:1" Power: 35W rms, 70W program. Sensitivity: 109 dB Freq. range 100	<b>1.014,34</b>	<b>1.247,64</b>
<b>ND 1411-M</b>	1.5"	High	Exit:1" Power: 25W rms, 50W program. Sensitivity: 109 dB Freq. range 150	<b>399,59</b>	<b>491,50</b>
<b>ND 850-1.4</b>	3"	Mid-high	Exit:1.4" Power: 80W rms, 160W program. Sensitivity: 109 dB Freq. range	<b>1.444,67</b>	<b>1.776,95</b>
<b>ND 650</b>	2.5"	Mid-high	Exit:1.4" Power: 60W rms, 120W program. Sensitivity: 110 dB Freq. range	<b>1.060,45</b>	<b>1.304,35</b>
<b>ND 550</b>	1.75"	High	Exit:1" Power: 35W rms, 70W program. Sensitivity: 109 dB Freq. range 100	<b>845,29</b>	<b>1.039,70</b>
<b>ND 350</b>	1.75"	High	Exit:1" Power: 40W rms, 80W program. Sensitivity: 110 dB Freq. range 150	<b>676,23</b>	<b>831,76</b>
<b>N 850</b>	3"	Mid-high	Exit:2" Power: 75W rms, 150W program. Sensitivity: 109 dB Freq. range 50	<b>1.444,67</b>	<b>1.776,95</b>
<b>N 450</b>	1.75"	High	Exit:1" Power: 35W rms, 70W program. Sensitivity: 107 dB Freq. range 100	<b>814,55</b>	<b>1.001,90</b>
<b>N 350</b>	1.75"	High	Exit:1" Power: 25W rms, 50W program. Sensitivity: 107 dB Freq. range 150	<b>614,75</b>	<b>756,15</b>
				-	-
<b>H 6040</b>			Throat: 2", Overall dimension: 470X291, Directivity: 60X40, Cut-off freq: 40	<b>645,49</b>	<b>793,95</b>
<b>HF 64</b>			Throat: 1"/1.4", Overall dimension: 250X250, Directivity: 60X40, Cut-off fre	<b>445,70</b>	<b>548,21</b>
<b>HF 94</b>			Throat: 1"/1.4", Overall dimension: 250X250, Directivity: 90X40, Cut-off fre	<b>414,96</b>	<b>510,40</b>
<b>H 100</b>			Throat: 1", Overall dimension: 220X220, Directivity: 90X75, Cut-off freq: 80	<b>184,43</b>	<b>226,84</b>
<b>HF 101</b>			Throat: 1", Overall dimension: 180X180, Directivity: 90X75, Cut-off freq: 80	<b>230,53</b>	<b>283,56</b>
					-
<b>RLF18N401</b>			Recone kit for LF18N401	<b>845,29</b>	<b>1.039,70</b>
<b>RLF18N401-4</b>			Recone kit for LF18N401-4 ohm	<b>845,29</b>	<b>1.039,70</b>
<b>RLF18N402</b>			Recone kit for LF18N402	<b>845,29</b>	<b>1.039,70</b>
<b>RLF18G401</b>			Recone kit for LF18G401	<b>737,70</b>	<b>907,38</b>
<b>RLF18G401 - 07</b>			Recone kit for LF18G401 - Production July 2007 from LF18G401 serial nu	<b>737,70</b>	<b>907,38</b>
<b>RLF18X400</b>			Recone kit for LF18X400	<b>906,76</b>	<b>1.115,32</b>
<b>RLF18X400 - 07</b>			Recone kit for LF18X400 - Production July 2007 from LF18X400 serial nu	<b>906,76</b>	<b>1.115,32</b>
<b>RLF18G400</b>			Recone kit for LF18G400	<b>906,76</b>	<b>1.115,32</b>
<b>RLF18G400 - 07</b>			Recone kit for LF18G400 - Production July 2007 from LF18G400 serial nu	<b>906,76</b>	<b>1.115,32</b>
<b>R18P300</b>			Recone kit for L18P300	<b>706,97</b>	<b>869,57</b>
<b>R18P300-07</b>			Recone kit for L18P300- Production July 2007 from L18P300 serial numbe	<b>706,97</b>	<b>869,57</b>
<b>R18P300-ND</b>			Recone kit for L18P300- ND	<b>706,97</b>	<b>869,57</b>
<b>R18S800</b>			Recone kit for L18S800	<b>737,70</b>	<b>907,38</b>
<b>R18P200 N</b>			Recone kit for L18P200 N	<b>814,55</b>	<b>1.001,90</b>
<b>RLF15N401</b>			Recone kit for LF15N401	<b>706,97</b>	<b>869,57</b>
<b>RLF15G401</b>			Recone kit for LF15G401	<b>706,97</b>	<b>869,57</b>
<b>RMB15N351</b>			Recone kit for MB15N351	<b>706,97</b>	<b>869,57</b>
<b>RMB15H401</b>			Recone kit for MB15H401	<b>876,02</b>	<b>1.077,51</b>
<b>RLF15X400/G400</b>			Recone kit for LF15X400/LF15G400	<b>876,02</b>	<b>1.077,51</b>
<b>R15P200AK</b>			Recone kit for L15P200AK	<b>706,97</b>	<b>869,57</b>
<b>R15S800</b>			Recone kit for L15S800	<b>645,49</b>	<b>793,95</b>
<b>R15/554K</b>			Recone kit for L15/554K	<b>645,49</b>	<b>793,95</b>
<b>R15P540</b>			Recone kit for L15P540	<b>645,49</b>	<b>793,95</b>
<b>R15P530</b>			Recone kit for L15P530	<b>645,49</b>	<b>793,95</b>
<b>RCX15N351-8</b>			Recone kit for CX15N351-8	<b>706,97</b>	<b>869,57</b>
<b>RMB12G301</b>			Recone kit for MB12G301	<b>645,49</b>	<b>793,95</b>
<b>RLF12N401</b>			Recone kit for LF12N401	<b>645,49</b>	<b>793,95</b>
<b>RMB12N351</b>			Recone kit for MB12N351	<b>645,49</b>	<b>793,95</b>
<b>R12L750</b>			Recone kit for L12L750	<b>645,49</b>	<b>793,95</b>
<b>R12P110K</b>			Recone kit for L12P110K	<b>645,49</b>	<b>793,95</b>
<b>R12P540</b>			Recone kit for L12/P540	<b>645,49</b>	<b>793,95</b>
<b>R12P530</b>			Recone kit for L12/P530	<b>645,49</b>	<b>793,95</b>
<b>R12P300</b>			Recone kit for L12P300	<b>706,97</b>	<b>869,57</b>
<b>R12P520</b>			Recone kit for L12P520	<b>706,97</b>	<b>869,57</b>
<b>R12/854K</b>			Recone kit for L12/854K	<b>476,43</b>	<b>586,01</b>
<b>RMR10N301</b>			Recone kit for MR10N301	<b>614,75</b>	<b>756,15</b>
<b>R10/750YK</b>			Recone kit for L10/750YK	<b>614,75</b>	<b>756,15</b>
<b>R10/568</b>			Recone kit for L10/568	<b>507,17</b>	<b>623,82</b>
<b>R10/561K</b>			Recone kit for L10/561K	<b>507,17</b>	<b>623,82</b>
<b>R8S800</b>			Recone kit for L8S800	<b>507,17</b>	<b>623,82</b>
<b>RMR8N301</b>			Recone kit for MR8N301	<b>614,75</b>	<b>756,15</b>
<b>R6L380</b>			Recone kit for L6L380	<b>353,48</b>	<b>434,78</b>
					-

<b>M 106</b>		Spare diaphragm for ND 3020 T3 - ND 3030 T3	<b>445,70</b>	<b>548,21</b>
<b>M 110</b>		Recone kit for ND 1710-MT3	<b>353,48</b>	<b>434,78</b>
<b>M 104</b>		Spare diaphragm for ND 2530 T3	<b>384,22</b>	<b>472,59</b>
<b>M for ND1411-M</b>		Spare diaphragm for ND 1411-M	<b>245,90</b>	<b>302,46</b>
<b>M for ND850</b>		Spare diaphragm for ND 850	<b>414,96</b>	<b>510,40</b>
<b>M for ND650</b>		Spare diaphragm for ND 650	<b>384,22</b>	<b>472,59</b>
<b>M for ND550</b>		Spare diaphragm for ND 550	<b>353,48</b>	<b>434,78</b>
<b>M for ND350</b>		Spare diaphragm for ND 350	<b>307,38</b>	<b>378,07</b>
<b>M 82</b>		Spare diaphragm for N 850	<b>414,96</b>	<b>510,40</b>
<b>M 81</b>		Spare diaphragm for N 450	<b>292,01</b>	<b>359,17</b>
<b>M 83</b>		Spare diaphragm for N 350	<b>261,27</b>	<b>321,36</b>
<b>M 73</b>		Spare diaphragm for N 255-N	<b>184,43</b>	<b>226,84</b>
<b>M 88</b>		Spare diaphragm for N 270	<b>122,95</b>	<b>151,23</b>
<b>M 59</b>		Spare diaphragm for N 681	<b>461,07</b>	<b>567,11</b>
<b>M 65</b>		Spare diaphragm for N 481K	<b>322,75</b>	<b>396,98</b>
<b>M 76</b>		Spare diaphragm for N 300	<b>353,48</b>	<b>434,78</b>
				-
<b>H 6000</b>		Kit equalizer MR8N301	<b>414,96</b>	<b>510,40</b>
<b>KIT MR10N301</b>		Kit equalizer MR10N301	<b>138,32</b>	<b>170,13</b>

<b>WOOFER</b>		<b>RECONE-KIT</b>			-
Description	Woofers cut-off serial	Recone P/N for Woofers manufactured	Description		-
LF18G401	GEX14829	1,1E+07	RECONE KIT FOR LF18G401		-
LF18X400	GGX12607	1,1E+07	RECONE KIT FOR LF18X400		-
LF18G400	GEX15032	1,1E+07	RECONE KIT FOR LF18G400		-
L18P300	GGX08617	1,1E+07	RECONE KIT FOR L18P300		-